

STN Structure Search

10/539,151

02/19/2007

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:29:51 ON 19 FEB 2007

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

ENTRY

TOTAL

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 10:29:58 ON 19 FEB 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 18 FEB 2007 HIGHEST RN 921759-52-6

DICTIONARY FILE UPDATES: 18 FEB 2007 HIGHEST RN 921759-52-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10539151\formula IIa.str



ring/chain

chain nodes :

10 11 12 13 14



Claim 6

Formula II

free of prior art

ring nodes :
 1 2 3 4 5 6 7 8 9
 ring/chain nodes :
 15 16 17
 chain bonds :
 7-11 7-13 8-10 11-12 12-14 12-15
 ring/chain bonds :
 15-16 15-17
 ring bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
 exact/norm bonds :
 5-7 6-9 7-8 7-13 8-9 8-10 12-14 12-15 15-16 15-17
 exact bonds :
 7-11 11-12
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1



Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 10:30:14 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 782 TO ITERATE

100.0% PROCESSED 782 ITERATIONS
 SEARCH TIME: 00.00.01

11 ANSWERS

L2 11 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

FULL ESTIMATED COST

172.10

172.31

FILE 'CAPLUS' ENTERED AT 10:30:34 ON 19 FEB 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 Feb 2007 VOL 146 ISS 9
FILE LAST UPDATED: 18 Feb 2007 (20070218/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:


<http://www.cas.org/infopolicy.html>

=> s l2
L3

3 L2

=> d ibib abs hitstr 1-3

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2006:49644 CAPLUS
 DOCUMENT NUMBER: 144:292911
 TITLE: Enantioselective Total Synthesis of Convolutamydines
 B
 and E
 AUTHOR(S): Nakamura, Tomoaki; Shirokawa, Shinichi; Hosokawa, Seiji; Nakazaki, Atsuo; Kobayashi, Susumu
 CORPORATE SOURCE: Faculty of Pharmaceutical Sciences, Tokyo University of Science (RIKADAI), Chiba, 278-8510, Japan
 SOURCE: Organic Letters (2006), 8(4), 677-679
 CODEN: ORLEF7; ISSN: 1523-7060
 PUBLISHER: American Chemical Society
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 144:292911
 GI



AB The first enantioselective total synthesis of convolutamydines B and E has been achieved using our vinylogous Mukaiyama aldol reaction. The synthesis features highly diastereoselective vinylogous Mukaiyama aldol reaction with isatin instead of aldehydes to construct a chiral center of convolutamydines. Thus, isatin I was reacted with N,O-acetal II to give the aldol adduct which was transformed in several steps to (R)-convolutamidine E III. Addnl., the absolute configuration of natural convolutamidine B has been determined as R by its CD spectrum.

IT 879123-17-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (asym. total synthesis of convolutamydines B and E via diastereoselective vinylogous Mukaiyama aldol of isatin derivative)
 RN 879123-17-8 CAPLUS
 CN 2-Oxazolidinone, 3-[(2,3-dihydro-3-hydroxy-2-oxo-1H-indol-3-yl)acetyl]-4-(1-methylethyl)-, (4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:811739 CAPLUS
 DOCUMENT NUMBER: 143:229863
 TITLE: A manufacturing of (triazolymethyl)indole
 derivatives
 and their intermediates
 INVENTOR(S): Martin, Pierre; Berens, Ulrich; Boudier, Andreas;
 Dosenbach, Oliver
 PATENT ASSIGNEE(S): Ratiopharm G.m.b.H., Germany
 SOURCE: PCT Int. Appl., 67 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005075422	A1	20050818	WO 2005-EP793	20050127
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, GU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MG, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2553652	A1	20050818	CA 2005-2553652	20050127
EP 1751104	A1	20070214	EP 2005-707035	20050127
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
PRIORITY APPLN. INFO.:			EP 2004-100303	A 20040128
			US 2004-543463P	P 20040210
			WO 2005-EP793	W 20050127


OTHER SOURCE(S): MARPAT 143:229863
 GI

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)




REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)




AB The invention relates to a preparation of (triazolymethyl)indole derivs. of formula I [wherein: R1 and R2 are independently H or alkyl] and their intermediates. For instance, anti-migraine agent rizatriptan I [R1 = R2 = Me: no biol. data] was prepared from [(hydrazinomethylindolyl)ethyl]-dimethyl-amine II with a yield of 55%.

IT 717139-78-1P 717139-81-6P 717139-87-2P
 RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (manufacturing of (triazolymethyl)indole derivs. and their intermediates)
 RN 717139-78-1 CAPLUS
 CN 1H-Indole-3-acetamide, 5-bromo-2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo- (9CI) (CA INDEX NAME)




RN 717139-81-6 CAPLUS
 CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-5-iodo-N,N-dimethyl-2-oxo- (9CI) (CA INDEX NAME)



RN 717139-87-2 CAPLUS
 CN 1H-Indole-5-carboxylic acid, 2,3-dihydro-3-hydroxy-5-iodo-N,N-dimethyl-2-oxo- (9CI) (CA INDEX NAME)

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
3-hydroxy-2-oxo-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:546477 CAPLUS
DOCUMENT NUMBER: 141:89009
TITLE: Synthesis of tryptamine derivatives and intermediates thereof
INVENTOR(S): Berens, Ulrich; Dosenbach, Oliver; Sprenger, Daniel
PATENT ASSIGNEE(S): Ciba Specialty Chemicals Holding Inc., Switz.
SOURCE: PCT Int. Appl., 84 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

Instant app


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004056769	A2	20040708	WO 2003-EP50992	20031212
WO 2004056769	A3	20040916		
WO 2004056769	B1	20041104		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TH, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

CA 2508290	A1	20040708	CA 2003-2508290	20031212
AU 2003299227	A1	20040714	AU 2003-299227	20031212
EP 1572647	A2	20050914	EP 2003-1572647	20031212
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, HU, IE, SI, LT, LV, FI, RO, MC, CY, NL, TR, BG, CZ, EE, HU, SK				
CN 1729174	A	20060201	CN 2003-80107086	20031212
JP 2006516128	T	20060622	JP 2004-561492	20031212
US 2006058367	A1	20060326	US 2005-539151	20050616
PRIORITY APPL. INFO.:			EP 2002-406128	A 20021220
			WO 2003-EP50992	W 20031212

OTHER SOURCE(S): MARPAT 141:89009
GI



L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

AB Indoleacetates I [R = CO2R3; R1 = (un)substituted alkyl, aryl, heterocyclyl, alkylsulfonyl, OH, SH, NO2, halogen, CN, CONH2, CONHNH2, CO2H, alkenyl, alkynyl, cycloalkyl, acyloxy, NH2, NHHH2, B(OH)2; R2 = H, (un)substituted alkyl, CO2H, arylsulfonyl, alkylsulfonyl, aryl, CONH2, silyl; R3 = (un)substituted alkyl; n = 0-4] were prepared and converted to I


[R = CONR4R5; R4, R5 = (un)substituted alkyl; R4R5 = (un)substituted alkylene] which were in turn converted to indoleacetamides and tryptamines. The synthesis methods and products are useful in the synthesis of pharmaceuticals. Thus, 5-bromoindole-3-acetamide was treated with CH2(CO2H)2 and ClCONMe2 to give I [R = CONMe2, R1 = 5-Br, R2 = H] which was treated with BF3.Et2O and BH3.Me2SO to give

2-(5-bromo-1H-indol-3-yl)-N,N-dimethylacetamide or with BF3.Et2O and NaBH4 to give


2-(5-bromo-1H-indol-3-yl)ethyl-N,N-dimethylacetamide.

IT 717139-78-1P 717139-81-6P 717139-88-3P
717139-92-9P 717139-93-0P 717139-95-2P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of tryptamine derivs. and intermediates thereof)

RN 717139-78-1 CAPLUS
CN 1H-Indole-3-acetamide, 5-bromo-2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo- (9CI) (CA INDEX NAME)




RN 717139-81-6 CAPLUS
CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-5-iodo-N,N-dimethyl-2-oxo- (9CI) (CA INDEX NAME)




RN 717139-88-3 CAPLUS
CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo-1-(phenylmethyl)- (9CI) (CA INDEX NAME)


L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)




RN 717139-92-9 CAPLUS
CN 1H-Indole-3-acetamide, 5-[(acetyloxy)methyl]-2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo-1-(phenylmethyl)- (9CI) (CA INDEX NAME)



RN 717139-93-0 CAPLUS
CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-5-(hydroxymethyl)-N,N-dimethyl-2-oxo-1-(phenylmethyl)- (9CI) (CA INDEX NAME)




RN 717139-95-2 CAPLUS
CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo-1-(2-propenyl)- (9CI) (CA INDEX NAME)




IT 717139-87-2P 717139-91-8P 717139-94-1P
717139-96-3P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of tryptamine derivs. and intermediates thereof)

RN 717139-87-2 CAPLUS


L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 CN 1H-Indole-5-carboxylic acid,
 3-[2-(dimethylamino)-2-oxoethyl]-2,3-dihydro-
 3-hydroxy-2-oxo-, ethyl ester (9CI) (CA INDEX NAME)



RN 717139-91-8 CAPLUS
 CN 1H-Indole-3-acetamide,
 5-chloro-2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo-1-
 (phenylmethyl)- (9CI) (CA INDEX NAME)



RN 717139-94-1 CAPLUS
 CN 1H-Indole-3-acetamide,
 5-formyl-2,3-dihydro-3-hydroxy-N,N-dimethyl-2-oxo-1-
 (phenylmethyl)- (9CI) (CA INDEX NAME)



RN 717139-96-3 CAPLUS
 CN 1H-Indole-3-acetamide, 2,3-dihydro-3-hydroxy-5-(hydroxymethyl)-N,N-
 dimethyl-2-oxo-1-(2-propenyl)- (9CI) (CA INDEX NAME)

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

